



AL5000 30° G/E/4,5m

4,035,857,001




STANDARD







Ø mm	Ø inch
0,8 - 1,2	.031 - .047



BASIC KIT	Fe
Contact tip Ø 1,2 mm (.047 inch)	
Inner liner Ø 1,2 mm (.047 inch)	






AL5000 G/E/4.5m (4,035,857,001)

M10 / CuCrZr / L=40 mm (1,575 inch) 	 Fe CrNi	Part No.	
		Ø mm	Ø inch
	0,8	.031	42,0001,1576
	0,9	.035	42,0001,3277
	1,0	.039	42,0001,1577
	1,2	.047	42,0001,1578
	1,4	.055	42,0001,1930
	1,6	.063	42,0001,1579
	1,8	.071	42,0001,2314
	2,0	.079	42,0001,1662
	2,4	.094	42,0001,1663
	2,8	.110	42,0001,1664
	3,2	.126	42,0001,5413

M10 / CuCrZr / L=40 mm (1,575 inch) 	 Al CuSi	d1		Part No.	
	Ø mm	Ø inch	Ø mm		Ø inch
	0,9	.035	4,8	.189	42,0001,5405
	1,0	.039	4,1	.161	42,0001,5057
	1,0	.039	4,8	.189	42,0001,5289
	1,2	.047	4,1	.161	42,0001,5058
	1,2	.047	4,6	.181	42,0001,5005
	1,4	.055	4,1	.161	42,0001,5059
	1,6	.063	4,8	.189	42,0001,5060
	1,8	.071	4,8	.189	42,0001,5061



STEEL isol. (Standard)


	Fe		L		d1		w1		Part No.
	Ø mm	Ø inch	m	feet	m	inch	m	inch	
	0,8	.030	3,5	11,5	1,3	0,051	1,2	0,047	42,0404,0270
	0,8	.030	4,5	14,8	1,3	0,051	1,2	0,047	42,0404,0271
	1,0	.040	3,5	11,5	1,6	0,063	1,1	0,043	42,0404,0273
	1,0	.040	4,5	14,8	1,6	0,063	1,1	0,043	42,0404,0274
	1,2	.045	3,5	11,5	2,0	0,078	1,0	0,039	42,0404,0275
	1,2	.045	4,5	14,8	2,0	0,078	1,0	0,039	42,0404,0276
	1,6	.062	3,5	11,5	2,5	0,098	1,05	0,041	42,0404,0278
	1,6	.062	4,5	14,8	2,5	0,098	1,05	0,041	42,0404,0279


Option			Part No.
	Ø mm	Ø inch	
	0,8-1,0	.030-.040	42,0405,0139
	0,8	.030	42,0001,0916
	1,0	.040	42,0001,1743
	1,2	.045	42,0001,1508
	1,6	.062	44,0350,0084




STEEL isol. (Standard)



Fe		L		d1		w1		Part No.
Ø mm	Ø inch		feet	m	inch	m	inch	
0,8	.030	3,5	11,5	1,3	0,051	1,2	0,047	42,0404,0282
0,8	.030	4,5	14,8	1,3	0,051	1,2	0,047	42,0404,0283
1,0	.040	3,5	11,5	1,6	0,063	1,1	0,043	42,0404,0285
1,0	.040	4,5	14,8	1,6	0,063	1,1	0,043	42,0404,0286
1,2	.045	3,5	11,5	2,0	0,078	1,0	0,039	42,0404,0287
1,2	.045	4,5	14,8	2,0	0,078	1,0	0,039	42,0404,0288
1,6	.062	3,5	11,5	2,5	0,098	1,05	0,041	42,0404,0289
1,6	.062	4,5	14,8	2,5	0,098	1,05	0,041	42,0404,0290



F / F++ / Z

COMBI (Standard)


	Al CuSi CrNi	L1		L2		d1		w1		Part No.
		Ømm	Øinch	m	feet	mm	inch	mm	inch	
		0,8	.030	1,5	4.9	300	11.81	1,5	.059	44,0350,2305
		0,8	.030	2,5	8.2	300	11.81	1,5	.059	44,0350,2306
		0,8	.030	3,5	11.5	300	11.81	1,5	.059	44,0350,2307
		0,8	.030	4,5	14.8	300	11.81	1,5	.059	44,0350,2308
		1,0	.040	1,5	4.9	320	12.6	1,5	.059	44,0350,1607
		1,0	.040	2,5	8.2	320	12.6	1,5	.059	44,0350,1608
		1,0	.040	3,5	11.5	320	12.6	1,5	.059	44,0350,1609
		1,0	.040	4,5	14.8	320	12.6	1,5	.059	44,0350,1650
		1,2	.045	1,5	4.9	320	12.6	2,0	.078	44,0350,1604
		1,2	.045	2,5	8.2	320	12.6	2,0	.078	44,0350,1605
		1,2	.045	3,5	11.5	320	12.6	2,0	.078	44,0350,1606
		1,2	.045	4,5	14.8	320	12.6	2,0	.078	44,0350,1651
		1,6	.062	1,5	4.9	320	12.6	2,5	.098	44,0350,1610
		1,6	.062	2,5	8.2	320	12.6	2,5	.098	44,0350,1611
		1,6	.062	3,5	11.5	320	12.6	2,5	.098	44,0350,1612
		1,6	.062	4,5	14.8	320	12.6	2,5	.098	44,0350,1665
		1,6	.062	2,5	8.2	320	12.6	3,0	.118	44,0350,1870

Standard	Part No.
	42,0001,5412
	42,0400,1025

Option	Part No.
	42,0001,5412
	42,0400,1024
	42,0100,1120 Ø 0,8mm (.031inch)
	42,0100,1119 Ø 1,0mm (.039inch)
	42,0100,1003 Ø 1,2mm (.047inch)
	42,0100,1008 Ø 1,6mm (.063inch)

AL5000 G/E/4.5m (4,035,857,001)

E



COMBI (Standard)								
	Al CuSi CrNi	L		d1		w1		Part No.
		m	feet	mm	inch	mm	inch	
0,8	.030	1,5	4,9	1,5	.059	1,0	.039	44,0350,2326
0,8	.030	2,5	8,2	1,5	.059	1,0	.039	44,0350,2327
0,8	.030	3,5	11,5	1,5	.059	1,0	.039	44,0350,2328
0,8	.030	4,5	14,8	1,5	.059	1,0	.039	44,0350,2329
1,0	.040	1,5	4,9	1,5	.059	1,5	.059	44,0350,1630
1,0	.040	2,5	8,2	1,5	.059	1,5	.059	44,0350,1631
1,0	.040	3,5	11,5	1,5	.059	1,5	.059	44,0350,1632
1,0	.040	4,5	14,8	1,5	.059	1,5	.059	44,0350,1652
1,2	.045	1,5	4,9	2,0	.078	1,25	.049	44,0350,1633
1,2	.045	2,5	8,2	2,0	.078	1,25	.049	44,0350,1634
1,2	.045	3,5	11,5	2,0	.078	1,25	.049	44,0350,1635
1,2	.045	4,5	14,8	2,0	.078	1,25	.049	44,0350,1653
1,6	.062	1,5	4,9	2,0	.078	1,0	.039	44,0350,1636
1,6	.062	2,5	8,2	2,0	.078	1,0	.039	44,0350,1637
1,6	.062	3,5	11,5	2,0	.078	1,0	.039	44,0350,1638
1,6	.062	4,5	14,8	2,0	.078	1,0	.039	44,0350,1658

Standard	Part No.
	42,0001,2339
	42,0402,0083

AL5000 G/E/4.5m (4,035,857,001)

Article no.	Description	Quantity	Unit
42,0100,0312	Insulation sleeve ø23/ø19x51	1	pc
42,0001,5912	Nozzle fitting AL5000	1	pc
42,0410,0570	Contact tip tool SW7 M8/M6	1	pc
42,0001,5652	Gasnozzle AL5000 conø18/ø27x77	1	pc
42,0405,0561	Union nut M33x2	1	pc
42,0400,0147	Union nut M10x1 H=13	1	pc
42,0001,5413	Contact tip 3,2/M10/Ø10x40	1	pc
42,0001,1664	CONTACT TUBE 2,8 10X40	1	pc
42,0001,1576	Contact tip 0,8/M10/ø10x40	1	pc
42,0001,3277	Contact tip 0,9/M10/ø10x40	1	pc
42,0001,1577	Contact tip 1,0/M10/ø10x40	1	pc
42,0001,1578	Contact tip 1,2/M10/ø10x40	1	pc
42,0001,1930	Contact tip 1,4/M10/ø10x40	1	pc
42,0001,1579	Contact tip 1,6/M10/ø10x40	1	pc
42,0001,2314	Contact tip 1,8/M10/ø10x40	1	pc
42,0001,1662	Contact tip 2,0/M10/ø10x40	1	pc
42,0001,1663	Contact tip 2,4 M10	1	pc
42,0001,5405	Contact tip 0,9/M10/ZB4,8	1	pc
42,0001,5057	Contact tip 1,0/M10/L40/ZB4,1	1	pc
42,0001,5289	Contact tip 1,0/M10/L40/ZB 4,8	1	pc
42,0001,5058	Contact tip 1,2/M10/L40/ZB4,1	1	pc
42,0001,5005	Contact tip 1,2/M10/L40/ZB4,6	1	pc
42,0001,5059	Contact tip 1,4/M10/L40/ZB4,1	1	pc
42,0001,5060	Contact tip 1,6/M10/L40/ZB4,8	1	pc
42,0001,5061	Contact tip 1,8/M10/L40/ZB4,8	1	pc
42,0404,0279	Steel i.l. isol. 2,5x1,05/4,5m	1	pc
42,0404,0271	Steel i.l. isol. 1,3x1,2/4,5m	1	pc
42,0404,0273	Steel i.l. isol. 1,6x1,1/3,5m	1	pc
42,0404,0275	Steel i.l. isol. 2x1/3,5m	1	pc
42,0404,0276	Steel i.l. isol. 2x1/4,5m	1	pc
42,0404,0278	Steel i.l. isol. 2,5x1,05/3,5m	1	pc
42,0404,0274	Steel i.l. isol. 1,6x1,1/4,5m	1	pc
42,0404,0270	Steel innerl. iso.1,3x1,2/3,5m	1	pc
42,0405,0139	WIRE NOZZLE 0.8-1/SW10X32.5	1	pc

AL5000 G/E/4.5m (4,035,857,001)

Article no.	Description	Quantity	Unit
42,0001,1743	WIRE NOZZLE 1.0 4.5x32.5 T/H	1	pc
42,0001,1508	WIRE NOZZLE 1.2/SW 10X32.5 T/H	1	pc
44,0350,0084	WIRE NOZZLE D=2.2 AL T/H	1	pc
42,0001,0916	WIRE NOZZLE MS-0.8/SW10X32.5	1	pc
42,0404,0290	Steel i.l. isol. 2,5x1/4,5m E	1	pc
42,0404,0283	Steel i.l. isol. 1,3x1,2/4,5mE	1	pc
42,0404,0285	Steel i.l. isol. 1,6x1,1/3,5mE	1	pc
42,0404,0287	Steel innerl. isol. 2x1/3,5m E	1	pc
42,0404,0288	Steel innerl. isol. 2x1/4,5m E	1	pc
42,0404,0289	Steel i.l. isol. 2,5x1/3,5m E	1	pc
42,0404,0286	Steel i.l. isol. 1,6x1,1/4,5mE	1	pc
42,0404,0282	Steel i.l. isol. 1,3x1,2/3,5mE	1	pc
44,0350,2308	Combi inner liner 0,8/4,5m	1	pc
44,0350,2307	Combi inner line 0,8/3,5m	1	pc
44,0350,2306	Combi inner liner 0,8/2,5m	1	pc
44,0350,2305	Combi inner liner 0,8/1,5m	1	pc
44,0350,1605	Combi innerliner 2x1,25/2,5m	1	pc
44,0350,1604	Combi innerliner 1,2/1,5m	1	pc
44,0350,1608	Combi innerliner 1,5x1,5/2,5m	1	pc
44,0350,1607	Combi innerliner 1,5x1,5/1,5m	1	pc
44,0350,1650	Combi innerliner 1,5x1,5/4,5m	1	pc
44,0350,1609	Combi innerliner 1,5x1,5/3,5m	1	pc
44,0350,1611	Combi innerliner 2,5x1/2,5m	1	pc
44,0350,1610	Combi innerliner 2,5x1/1,5m	1	pc
44,0350,1606	Combi innerliner 2x1,25/3,5m	1	pc
44,0350,1612	Combi innerliner 2,5x1/3,5m	1	pc
44,0350,1665	Combi innerliner 2,5x1/4,5m	1	pc
44,0350,1651	Combi innerliner 2x1,25/4,5m	1	pc
44,0350,1870	Combination liner 2.0/2.5m	1	pc
42,0400,1025	Clamping nut 4,9/SW10x19	1	pc
42,0001,5412	Clamping part core Aø4,3-4,6	1	pc
42,0400,1024	Clamping nut for nozzle	1	pc
42,0100,1008	Guide nozzle 1,6	1	pc
42,0100,1003	Guide nozzle 1,2	1	pc

AL5000 G/E/4.5m (4,035,857,001)

Article no.	Description	Quantity	Unit
42,0100,1119	Guide nozzle ø1,0 Drive	1	pc
42,0100,1120	Guide nozzle ø0,8 gray	1	pc
42,0001,5421	Intake nozzle graphite liner	1	pc
44,0350,2329	Combi inner liner 0,8/4,5m/E	1	pc
44,0350,2328	Combi inner liner 0,8/3,5m/E	1	pc
44,0350,2327	Combi inner liner 0,8/2,5m/E	1	pc
44,0350,1631	Combi innerliner 1,5x1,5/2,5mE	1	pc
44,0350,1630	Combi innerliner 1,5x1,5/1,5mE	1	pc
44,0350,1652	Combi innerliner 1,5x1,5/4,5mE	1	pc
44,0350,1632	Combi innerliner 1,5x1,5/3,5mE	1	pc
44,0350,1633	Combi innerliner 2x1,25/1,5mE	1	pc
44,0350,1634	Combi innerliner 2x1,25/2,5mE	1	pc
44,0350,2326	Combi inner liner 0,8/1,5m/E	1	pc
44,0350,1637	Combi innerliner 2,5x1/2,5m E	1	pc
44,0350,1638	Combi innerliner 2,5x1/3,5m E	1	pc
44,0350,1658	Combi innerliner 2,5x1/4,5m E	1	pc
44,0350,1653	Combi innerliner 2x1,25/4,5m E	1	pc
44,0350,1636	Combi innerliner 2,5x1/1,5m E	1	pc
44,0350,1635	Combi innerliner 2x1,25/3,5mE	1	pc
42,0402,0083	SEALING ROUND 4x1.5 EPDM	1	pc
42,0001,2339	RETAINING NIPPLE 4.7	1	pc